IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): He, et al.

Confirmation No. 7416

Application No.: 10582820

Art Unit: 1634

Filed: 10/8/2008

Examiner:

Title: Single Molecule Detection Using Molecular

Motors

SISSON, BRADLEY L

Attorney Docket No.: 60224US

Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450

SECOND PROPOSED RESPONSE UNDER 37 CFR 1.111 FOR DISCUSSION **PURPOSES**

Dear Commissioner:

Applicants extend their thanks to Examiner Sisson for courtesies extended during our telephone interview of June 15, 2011 and for agreeing to schedule a second telephone interview in this matter on June 21, 2011 at 1 pm ET. In response to the Office Action of April 6, 2011, the following amendment is presented for discussion purposes.

Amendments to the Claims begin on page 2 of this paper.

Remarks/Arguments begin on page 6 of this paper.

Reply to Office Action of 04/06/2011

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (currently amended): A method for detecting a at least one target nucleic acid comprising:

- (a) providing at least one set of first and second target-specific nucleic acids, wherein the at least one set of first and second target-specific nucleic acids each comprise nucleotide sequences complementary to a specific one of the at least one target nucleic acid; wherein each of the at least one set of first and second target-specific nucleic acids are specific only for a selected one of the at least one target nucleic acid; wherein each first target-specific nucleic acid is bound to a selected first affinity tag and each second target-specific nucleic acid is bound to a selected second affinity tag, wherein the selected first affinity tag is capable of binding specifically to a molecular motor, wherein the molecular motor includes a biological or synthetic molecule capable of induced translational or rotational movements that are capable of being detected, wherein the selected second affinity tag is capable of binding specifically to a metal nanorod detection probe;
- (b) contacting the <u>at least one set of first and second target-specific nucleic</u> acids to a sample under conditions whereby the <u>at least one set of first and second</u> target-specific nucleic acids will <u>only</u> hybridize to the at least one target nucleic acid if the at least one target nucleic acid is present in the sample, <u>wherein the target and probe nucleotide base-pairing specific ligation reaction requires formation of upon hybridization to the target nucleic acid the first and second target-specific nucleic acids are juxtaposed at 5' phosphate and 3' hydroxyl termini of two adjacent target-specific nucleic acids <u>which are hybridized</u> to the complementary target nucleic acid <u>to form a nucleic acid strand that contains a first affinity tag and a second affinity tag at the 5' and 3' ends respectively;</u></u>
- (c) upon hybridization to the <u>at least one</u> target nucleic acid, ligating the first and second target-specific nucleic acids together;

Reply to Office Action of 04/06/2011

- (d) binding one of a series of molecular motors to the selected first affinity tag and the detection probe to the second affinity tag;
- (e) binding the series of molecular motors on a surface either before or after assembly with nucleotide containing affinity tags on the 5' and 3' ends;
- (f) binding the detection probe to the selected second affinity tag of the molecular motor-target nucleotide complex either before or after the series of molecular motors is bound to the surface;
- ([[f]] <u>a</u>) inducing <u>translational or rotational</u> movement of <u>at least one of the</u> molecular motors; and
- ([[g]] h) detecting translational or rotational movement of the at least one molecular motor by observing through the detection probe regularly rotating as indicated by a changing color monitoring changes in light intensity of at least one wavelength, where the at least one wavelength indicates the presence of a unique corresponding target nucleic acid in the sample, or by observing the detection probe translationally moving wherein differing selected colors of each of the translationally moving detection probes indicate the presence of a unique corresponding target nucleic acid wherein the motor movement of the molecular motor serves to detect the target nucleic acid in the sample, and where observation of ATP dependent rotation of different colored nanorods indicates the presence of a corresponding target nucleic acid each having its unique probe attachment or different motors causing different specific motor-induced motion so as to allow determination of an assortment of different target nucleic acid(s) is/are present in any given sample.

Claim 2 (original): The method of claim 1 wherein the method further comprises generating a plurality of <u>target and probe nucleotide base-pairing specific</u> ligation products following step (c) using ligation chain reaction.

Claim 3 (currently amended) The method of claim 1 wherein the molecular motor comprises consists essentially of an F1-ATPase.

Reply to Office Action of 04/06/2011

Claims 4-8 (canceled).

Claim 9 (new): The method of claim 1 wherein <u>monitoring</u> observing the detection probe oscillating as indicated by a changing <u>light</u> intensity comprises monitoring the oscillation of intensity of light of only one wavelength.

Claim 10 (new): A method for detecting at least one target nucleic acid comprising:

- (a) providing at least one set of first and second target-specific nucleic acids, wherein the at least one set of first and second target-specific nucleic acids each comprise nucleotide sequences complementary to a specific one of the at least one target nucleic acid; wherein each of the at least one set of first and second target-specific nucleic acids are specific only for a selected target nucleic acid; wherein each first target specific nucleic acid is bound to a selected first affinity tag and each second target-specific nucleic acid is bound to a selected second affinity tag, wherein the selected first affinity tag is capable of binding specifically to a molecular motor, wherein the molecular motor includes a biological or synthetic molecule capable of induced translational or rotational movement that are capable of being detected, wherein the selected second affinity tag is capable of binding specifically to a metal nanorod detection probe;
- (b) contacting the at least one set of first and second target-specific nucleic acids to a sample under conditions whereby the at least one set of first and second target-specific nucleic acids will only hybridize to the at least one target nucleic acid if the at least one target nucleic acid is present in the sample, wherein the target and probe nucleotide base-pairing specific ligation reaction requires formation of juxtaposed 5' phosphate and 3' hydroxyl termini of two adjacent target-specific nucleic acids which are hybridized to the complementary target nucleic acid to form a nucleic acid strand that contains a first affinity tag and a second affinity tag at the 5' and 3' ends respectively;
- (c) upon hybridization to the at least one target nucleic acid, ligating the first and second target-specific nucleic acids together;

Reply to Office Action of 04/06/2011

- (d) binding one of a series of molecular motors to the selected first affinity tag;
- (e) binding the series of molecular motors on a surface either before or after assembly with nucleotide containing affinity tags on the 5' and 3' ends;
- (f) binding the detection probe to the selected second affinity tag of the molecular motor-target nucleotide complex either before or after the series of molecular motors is bound to the surface;
- (g) inducing translational or rotational movement of at least one of the molecular motors; and
- (h) detecting translational or rotational movement of the at least one molecular motor by using microscopy for observing the detection probe rotating as indicated by monitoring changes in light intensity of at least one wavelength, where the at least one wavelength indicates the presence of a unique corresponding target nucleic acid in the sample, or by observing the detection probe translationally moving wherein differing selected colors of each of the translationally moving detection probes indicate the presence of a unique corresponding target nucleic acid in the sample.


Claim 11 (new): The method of claim 10 wherein observing by using microscopy comprises using a microscopy technique selected from the group consisting of dark field microscopy, atomic force microscopy, attaching a fluorescent label on a non-rotating part of the molecular motor, using single molecule anisotropy measurement, observing rotation through periodic quenching of the fluorescence signal by a quencher detection probe and using a surface plasmon resonance biosensor to measure the surface plasmon resonance change during metallic nanorod rotation.

Claim 12 (new): The method of claim 10 wherein monitoring comprises monitoring oscillation of intensity of light of only one wavelength.

Claim 13 (new): The method of claim 1 wherein observing comprises using an observation technique selected from the group consisting of dark field microscopy, single molecule fluorescence resonance energy transfer, fluorescence lifetime Page 5 of 7

Reply to Office Action of 04/06/2011

anisotropy, atomic force microscopy, attaching the molecular motor onto a nanoelectrode and measuring the micro current change or impendence change produced by rotation, attaching a fluorescent label on a non-rotating part of the molecular motor, using single molecule anisotropy measurement, observing rotation through periodic quenching of the fluorescence signal by a quencher detection probe and using a surface plasmon resonance biosensor to measure the surface plasmon resonance change during metallic nanorod rotation.



Reply to Office Action of 04/06/2011

REMARKS

Claim Objections

The office has objected to Claims 5-7 under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. In response claims 4 -8 have been canceled. New claims 10-13 have been added. Applicant respectfully submits that the new and amended claims comply with 37 CFR 1.75(c) and are now in condition for allowance. Consideration of the amended claims is requested.

Claim Rejections - 35 USC § 112

Claim(s) 1-7 are pending in the application. Claims 1-7 stand rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. Claims 4-8 have been canceled. Applicant respectfully traverses the rejection of claims 1-3 in view of the arguments and amendments herein.

Applicants have made a diligent effort to place the claims in condition for allowance. However, should there remain unresolved issues that require adverse action, it is respectfully requested that the Examiner telephone George A. Leone, Applicants' Attorney at 253-682-0246 so that such issues may be resolved as expeditiously as possible.

For these reasons, and in view of the above amendments, this application is now considered to be in condition for allowance and such action is earnestly solicited.

Respectfully Submitted,

June 15, 2011 Date /George A. Leone, Reg. No. 30567/
George A.Leone
Attorney/Agent for Applicant(s)
Reg. No. 30567
Citadel Patent Law
9124 Gravelly Lake Drive SW, Suite102
Lakewood, WA 98499
Tel. 253-682-0246